

Treatise Descriptive of Brazil
in 1587 (B. S. P. P.,
1938). -

SRH
P11240/61121 P53

[illegible]

duas camisas maiores ~~com~~
~~de~~ e mais dejeitas
com feições de carca (defeito)
com placas adicionadas a cada
lado. Hoje mesmo se de um

machado (axe) e de um enxó,
 um lugar de instrumentos de
~~fogo~~ pedra e de fogo, uti-
 lizado ~~para~~ de início p.
 73.-

O uso do fogo tem em
 vista fazer mais flexíveis
 (pliable) os lados e ~~apertar~~
 prevenir as rachaduras (split-
 ting). Para isso a canoa
 com a estante já pronta,
 os lados com a prumada de
 uma de uma polegada e
 o fundo um pouco mais
 grosso é colocada com a
 boca para baixo sobre o fogo
 lento.

"The largest canoes" are often
 fitted with a bulk or cover ing
 (1) As canoas "largest" são, provavelmente
 de pau inteiro.

is by bending sticks into ~~solid~~
 circles and nailing them to the
 sides of the ~~atmos~~ canoe. This
 framework is then covered with
 palm leaves. It is used to
~~for~~ protect their baggage from
 the rain or the sun. It is
 built near the ^{prow} stern, leaving
 room only for the ^{pilot} steersman
 behind. This arrangement
 allows all the paddlers to
 sit in the bow and also
 gives an advantage when
 passing over obstructions (....)
 For the bark canoe a lined
^{armazão de Tapaques} double wickerwork ^{esteira} mat
 with leaves is used for a
 waterproof covering to lay over
 the ~~bag~~ baggage. More often
 they have no permanent covering

27
for the canoe and depended upon
cutting leaves for temporary
use", p. 77.

University of Pennsylvania
Anthropological Publications
vol. IX. The Central Area
works by William Curtis
Eisner (Philadelphia, 1918).

Aras

Canoeas de índios, I. 143; II. 239

" " brancos, II. 240

" pintados, I. 191

Mandar uma ao Rio de Janeiro, I. 493.

Porto das Canoas (rio Pinheiros), VIII, 118